

Shop Fabrication Process Improvement Initiative Tier 2 Bridge Tech Meeting Presentation 11/30/18



Kristin Revello, P.E. Structural Metals and Fabrication QA Inspection Unit Supervisor



Topics to be Covered Today



- Roles, Department QA, Fabricator and Contractor QC
- Requirement changes beginning with the 2019 Standard Specification
- The Fabrication Library Overview
- Questions?



WisDOT Fabrication Quality Assurance Program (A) STRUCT



Program Goal: To consistently enforce submittal of required documentation and enact Quality Assurance

- Provide electronic submittal requirements for fabrication documents
- Provide guidance for roles and responsibilities for all parties involved
- Ensure department quality assurance and contractor quality control roles
- Modify standard specifications and CMM for clarity and enforcement
- Clarify approved fabricator requirements



Shop Drawing QA Reviews




- Shop drawing QC is the responsibility of the contactor and fabricator. QA is the responsibility of the department.
- Bureau of Structures will no longer be reviewing 100% of shop drawing submittals. BOS will be providing QA reviews on a portion of the submittals we receive, as determined by the Department.
- When a shop drawing is selected for review, all parties will be notified of the impending review. Drawings not selected for review will be accepted and returned to all parties.
- For shop drawing submittals to the Fabrication Library, there will be a "shop drawings status" that we can utilize to show if a shop drawing will be reviewed, requires resubmittal, or was accepted.



Contractor Certificate of Shop Drawing QC



- ✓ 4 new forms for Contractor Certificate of Shop Drawing QC
 - ✓ Prestressed Concrete Girders (including box girders) DT2328
 - ✓ Sign Bridges and Overhead Sign Supports DT2326
 - ✓ Retaining Walls DT2329
 - ✓ Fabricated Bridge Components DT2327
 - ✓ Structural Steel Diaphragms
 - ✓ Expansion Devices
 - ✓ Railings
 - ✓ Bearing Assemblies
- ✓ Each form's list of items is based on common shop drawing errors found during past WisDOT reviews
- ✓ The Fabricator and Contractor must sign this form, indicating that a QC check of the shop drawings for accuracy and conformance to the contract plans specifications was completed by the fabricator





Electronic Signature Update-Contractor Certificate of Shop Drawing QC




- BOS is currently working to facilitate the use of electronic signatures for Contractors and Fabricators completing Contractor Certificate of Shop Drawing QC forms.
- We will be providing guidance utilizing Bluebeam and Adobe.
- Electronic signature is not required, but is intended to be an available tool to minimize the "clerical effort" in preparing the required signatures on the DT forms (printing, scanning, emailing, etc.).
- When the DT form is signed and combined with the shop drawing will affect the ability
 of Region PMs and BOS staff to add comments to shop drawings and accept them, so
 please follow the forthcoming electronic signature guidance in the Fabrication Library
 Submission Standards Document on our website.



Fabrication Status Report



- ✓ 3 new forms for fabrication status reports
 - ✓ Prestressed Concrete Girders DT2336
 - ✓ Fabricated Bridge Components, Sign Bridges and Overhead Sign Supports — DT2334
 - ✓ Retaining Walls DT2335
- ✓ This form will need to be filled out on a <u>weekly</u> basis by the Fabricator
- ✓ This form allows all parties to know the status
 of fabrication for their projects
- ✓ This required form will reside in the Fabrication Library folder for each shop or plant
- ✓ Guidance for updating the status reports will be included in our Submission Standards Document available on our Website






Prestressed Concrete Girders Welded Wire Fabric Substitution Submittals



- ✓ Bureau of Structures will continue to review 100% of the mesh stirrup substitutions
- ✓ Submit WWF substitution submittals to Bureau of Structures via WisDOT Fabrication Library
- √This review and acceptance will need to occur prior to the submittal of shop drawings and DT2328





Approved Product Lists-New Approved Fabricator Lists



- ✓ 2 new Approved Fabricator Lists
 - ✓ Steel Bridge Primary Members
 - ✓ Steel Sign Bridges and Overhead Sign Supports

✓ If you have questions regarding whether a fabricator is qualified to fabricate for your project, please contact the Structural Metals and Fabrication QA Inspection Unit (SFU) and we will assist you.

Date last edited: 11/15/	2018			
<u>Fabricator</u>	<u>Location</u>	<u>Phone</u>	Approved Products	
Brookfield Fabricating	111 Stanbury Industrial Dr, Brookfield, MO 64628	(660) 258-2214	1, 2, 3	
Commercial Fabricators	7247 S 78th Ave APPROVED FABRICATORS, S Bri	(708) 594-1199 TEEL BRIDGE PRIMARY MEMBER 11/15/2018	1 2 2	
Hurtt Fabricating	26 Fabricator	Location	Phone	Approved Products
	Ma Aura Fabricators	14122 Dieseth Rd,	(218) 589-7121	1, 4
Roadway Construction Products	364	Dalton, MN 56324		
	Cla	1011 Weyrens Roa	d,	
Valmont Industries (Plymouth)	154	Fergus Falls, MN 56	537	
	Ply Delong's Inc. (Jefferson City) 301 Dix Rd,	(573) 635-6121	1, 2, 3, 4
Valmont Industries (Valley)	284	Jefferson City, MO	65109	
	Val Delong's Inc. (Sedalia)	131 S Harding Ave,		1, 2
		Sedalia, MO 65301		
Product Key	Industrial Steel Constructio		(219) 885-5610	1, 2, 3, 4
1 - Monotubes*		Gary, IN 46404		
2 - Planar Trusses*	LeJeune Steel	118 W 60th St,	(612) 243-2340	1, 2, 3, 4
3 - Four Chord Trusses*		Minneapolis, MN 9		
3-rour chord masses	Munster Steel	1501 Huehn St,	(219) 924-5198	1, 2, 3, 4
* n_f		Hammond, IN 4632		
* Refers to sign structure cross me	mber Veritas Steel (Eau Claire)	2800 Melby St, Eau Claire, WI 5470	(715) 835-2800 3	1, 2, 3, 4
	Veritas Steel (Wausau)	3526 Sherman St.	(715) 845-3191	1, 2, 3, 4
		Wausau, WI 54401		
Contact: Kristin Revello	Wabash Steel	2007 Oliphant Dr,	(812) 882-4550	1, 2, 3, 4
Bureau of Structures,	. Structura	Vincennes, IN 475	91	
(608) 266-5090				
kristin.revello@dot.v	wi gov			
	Product Key*			
	1 - Unspliced rolled section	is		
	Built-up I-girder with cor	led beam bridge, straight or wit	ith radius > 500ft, spliced or unspliced	

Built-up I-girder with variable web depth, straight or with radius > 1000ft

3 - Tub or trapezoidal box girders Closed box girders Truss with length > 200ft

Bascule bridges
Cable-supported bridges
Moveable bridges
Bridges with radius < 500ft


Truss with length < 200ft, almost entirely preassembled at the certified facility and shipped in no more than three subassemblies



Approved Product Lists-Modified Approved Fabricator Lists



- ✓ 4 new Approved Fabricator Lists replacing the prior Secondary Fabrication Items List
 - ✓ Fabricated Bridge Components
 - ✓ Railings
 - ✓ Expansion Devices
 - ✓ Diaphragms
 - ✓ Steel Bearings
- ✓ In order to fabricate these items, the fabricator must be on the appropriate APL





Fabrication Resources Webpage



- Application forms and the email address to request to be added to the APL for the following:
 - ✓ Steel Bridges
 - ✓ Fabricated Bridge Components
 - ✓ Sign Bridges and Overhead Sign Supports
- Fabrication Forms
 - ✓ Contractor Certificates of Shop Drawing QC
 - ✓ Fabrication Status Reports
- Roles and Responsibilities Document

Fabrication & Quality Assurance Construction Resources

ureau of Structures esign & Construction

Maintenance & Inspection Fabrication & Quality

Assurance Manuals & HSI Quick

Links Research & Outreach

Roles & Responsibilities

Fabrication & Quality Assurance

Description	Date
⚠ Fabrication Quality Assurance Process	TBD
A Field Welding	TBD

Policy Memos | Fabrication & Field Welding Library | Fabrication Resources | Training | Additional Resources

Applications for Approved Fabricator Status

Email form to: DOTDLStructuresFabrication@dot.wi.gov

Description	Date
Approved Products List (APL) Application Form - Steel Bridges	11/18
Approved Products List (APL) Application Form - Sign Bridges & Overhead Sign Supports	11/18
M Approved Products List (APL) Application Form - Fabricated Bridge Components	11/18

Fabrication Forms

General

Description	Date
DT2330 Fabrication Storage & Shipping Plan	04/15
DT2332 Weekly QA Shop Inspection Report	04/15
Welding Procedure Specification (Template)	02/15
Procedure Qualification Record (Template)	02/15
Welder & Welding Operator Qualification Record (Template)	02/15

Steel Bridges

Description	Date
DT2333 Contractor's Certificate of Quality Control for Steel Bridge Primary Members	03/15
DT2172 Primary Steel Bridge Fabrication Project Status Record	03/15
Butt-Welding Form	03/15

Sign Bridges & Overhead Sign Supports

		_	3 11	
I	Descripti	ion		Date
I		6 Cont	ractor's Certificate of Quality Control for Sign Structures	11/18
I		4 Fabr	ication Status Report - Sign Structues & Fabricated Bridge Components	11/18

Fabricated Bridge Components


Description	Date
DT2327 Contractor's Certificate of Quality Control for Fabricated Bridge Components	11/18
☑ DT2334 Fabrication Status Report - Sign Structues & Fabricated Bridge Components	11/18



Submission Standards



- ✓ File Submittal Requirements
- ✓ Choosing Content Types
- ✓ Shop Drawing Review
- ✓ Updating Fabrication Status Reports
- ✓ Reviewing Files From SharePoint Using Adobe Reader and Blue Beam





Roles and Responsibilities - Reference Guide



Fabrication QA Program Reference Guide

Definitions

Roles & Responsibilities

SFU Contact Information

Required Documentation by Structure Type

Standard Specification References

FABRICATION QUALITY ASSURANCE PROGRAM REFERENCE GUIDE (DRAFT)

Section 1 Definitions

Product oriented procedures that identify and correct flaws in fabrication technique, documentation specifications, initial

FABRICATION QUALITY ASSURANCE PROGRAM REFERENCE GUIDE (DRAFT)

Owner (WisDOT) representative executing quality audits at the Fabricator facility. This individual may be a consultant or WisDOT inspector.

- Uploads weekly inspection reports to the Fabrication Library.
- Maintains open line of communication with Fabricator QC and is aware of the most current fabrication schedule.
- Notifies SFU of any deviation from contract plans by the Fabricator and of any breach of AWS, ACI and AISC codes or WisDOT procedures and requirements.
- Reviews contract plans, shop drawings and weld procedures. Ensures only accepted weld procedures
 are used in fabrication.

A Structural Metals and Fabrication QA Inspection Unit (SFU)

Oversees the structures fabrication quality assurance program including management of in-plant inspection of structural steel members, sign structures, retaining walls, noise walls and prestressed concrete members.

SFU Supervisor:	Kristin Revello, PE	608-266-5090	kristin.revello@dot.wi.gov
Structures Engineers:	Brandan Burger, PE Prestressed Girders/R		brandan.burger@dot.wi.gov oise Walls
	Carla Principe Steel Girders/Fabricat		carla.principe@dot.wi.qov onents/Sign Structures
Quality Assurance Inspector:	Bruce Wulff	LTE	bruce.wulff@dot wi nov

- Manages Fabrication Library access and structure.
- Manages quality assurance fabrication inspection contracts and schedules.
- Will review all weld procedures and will review a percentage of submitted shop d
 of shop drawings selected for review, and the level of review received, will be a
 SFU.

RICATION QUALITY ASSURANCE PROGRAM REFERENCE GUIDE (DRAFT)

Roles and Responsibilities

uction Project Engineer

1e WisDOT Construction Project Manager. Can be a WisDOT engineer or consultant engineer a representative for WisDOT. This individual(s) is the primary contact for the Fabricator, and Bureau of Structures.

s WisDOT policy and specifications

- that Fabrication Status Reports and Inspection Reports have been uploaded to the Fabrication on a weekly basis.
- that shop drawings and revisions have been uploaded to the Fabrication Library. Ensures that is are uploaded as part of a complete set of shop drawings.
- s original versions of RFIs, NCRs and/or DINs and the final responses to the Fabrication Library.

ator

he facility or facilities performing such shop activities as cutting, welding, drilling, punching, nd painting of structural steel, to the producer of precast prestressed concrete girders and to the fearth retaining walls or noise barriers. The term Fabricator is used to describe roles usually by the Fabricator, but these could also be done by the Contractor.

ns the most current Quality Control Plan (QCP) on file with Bureau of Structures. Submits the rectly to the SELI Supervisor

FABRICATION QUALITY ASSURANCE PROGRAM REFERENCE GUIDE (DRAFT)

Section 3 Required Documentation

All Documentation shall be uploaded to the Fabrication Library. Visit this page to request access to the library: http://wisconsindot.gov/Pages/doing-bus/eng-consultants/cnstl-rsrces/strct/fab-sharepoint.aspx

High Strength Structural Steel Members (Highway Bridge)

Document	Submitted by	WisDOT Specification	Note
DT2330 – Fabrication Storage & Shipping Plan	Fabricator or Contractor		
Certified Mill Test Results (CMTR)	Fabricator or Contractor		
DT2333 – Contractor's Certificate of Quality Control	Fabricator or Contractor		For Highway Bridge, Structural Steel Member fabrication only Submit one DT2333 form for each revision
Shop Drawings	Fabricator or Contractor		Submit Shop Drawings 14 days before start of fabrication
Welding Procedure Specifications (WPS)	Fabricator or Contractor		
DT2472 Weekly Entrication			For Highway Bridge,



105.2 Supplemental Plans and Drawings Fabrication Library Submittals



105.2.1 – General (*current language*)

105.2.2 – Fabrication Library Requirements (new)

- This will remove cross-referencing across the structure sections, eliminating conflicts
- Unique requirements (Such as DT2333 for primary steel members) will be included in the specific structure section

105.2 Supplemental Plans and Drawings

Revise 105.2 to incorporate fabrication library electronic submittal requirements for specified structures.

105.2.1 General

- (1) Submit to the engineer supplements to the approved contract plans, shop drawings, and the computations necessary to control the work. Do not change the approved contract plans without the engineer's written authorization.
- (2) If sufficient detail is not provided on the structure plans produced by the department, submit to the engineer plans, shop drawings and the computations required to successfully prosecute the work.
- (3) If required in the contract, submit plans for temporary structures, cribs, cofferdams, falsework, shoring, and form work. Ensure that these plans and accompanying drawings and computations are signed and sealed by a professional engineer registered in the state of Wisconsin.
- (4) Include a transmittal letter with each submittal made under 105.2. Indicate on shop drawings all deviations from the contract drawings and itemize these deviations in the transmittal letter. The department will file and may review these submittals. The department's review does not relieve the contractor of the responsibility for obtaining satisfactory results, for the accuracy of dimensions and details, or for conformity of these drawings with the contract. The contractor may begin work on associated items without the department's review.
- (5) Include the cost of furnishing all shop drawings in the unit price for one or more associated bid item.

105.2.2 Fabrication Library Submittals

(1) If specific contract provisions require submittals under 105.2.2, also check and electronically submit shop drawings and computations to the department's fabrication library a minimum of 2 weeks before the start of fabrication. Conform to the fabrication library submission standards. Procedures for accessing the fabrication library are located at:

https://wisconsindot.gov/Pages/doing-bus/eng-consultants/cnslt-rsrces/strct/fab-sharepoint.aspx



The WisDOT Fabrication Library Vision



- The Fabrication Library is <u>not</u> intended for contract administration, it is meant as a mechanism to promptly receive shop drawings, review and return comments to all parties.
- Intended to provide statewide consistency for fabrication submittals
- Allows for concurrent BOS and Region review of shop drawings
- Allows all parties to see the current status of shop drawing submittals (accepted, revise and resubmit, etc.)
- Allows all parties to check on the fabrication status of for items on your project, and determine if there are any potential schedule concerns
- Allows fabricators to request email alerts for key staff to be notified each time a document (or status) is changed in their folder in the Library.
- Beginning with December 2018 Let, all structure fabrication document submittals (shop drawings, calculations, etc.) will be submitted through the Fabrication Library




The WisDOT Fabrication Library Vision



The Goal: A single comprehensive library for the submittal of all fabrication documents, accessible to all parties (as appropriate).

- ✓ Contractors and PMs can see all fabricator folders
- ✓ Fabricators can only see the contents of their own folder
- ✓ QA Inspectors can see the folders of the shops they inspect.





The WisDOT Fabrication Library Vision



- The Fabrication Library is not intended to replace all communication between Project Managers, Contractors, and Fabricators.
- Recommend having a discussion at the Preconstruction Meetings to ensure that all parties are on the same page regarding submission of fabrication documents prior to the project getting started.
- RFIs and DINs are not to be submitted to the Fabrication Library. (This is a change from the past practice for steel bridges, where they were submitted to the Library for information only.)



WisDOT Fabrication Library-Document Submittal Reminders




- No transmittal letters to be included in Fabrication Library submittals
- Prior to submitting shop drawings, check to ensure the files have not already been added to the Library
- If there are any comments from Region staff, their comments should be included in the shop drawing that BOS has reviewed and/or accepted with mark ups to facilitate revisions. (Region staff can still add their comments to transmittal letters as well, but we want all comments from BOS and the Region on a single shop drawing in the Library).
- Project staff should not cc BOS in email correspondence meant to be notification of file submittals. We receive alerts on our side. Extra emails may delay responses to actual questions or technical issues.
- Project staff should not remove BOS stamps from shop drawings.
- In order to facilitate the need for BOS and Region shop drawing acceptance, we have added a column in the Fabrication Library where the Region may change the acceptance status.



Shop Drawing Acceptance




- The Fabrication Library allows for Shop Drawing acceptance by both the Project Manager and Bureau of Structures.
- ➤Once both parties change the shop drawing status in Fabrication Library to "accepted", the shop drawing will be formally accepted.





The WisDOT Fabrication Library Structure








Fabricator View






■ This is what members of the County Materials - Janesville, WI permission group can view

*Can view all fabrication documents related to structures that were, are, and will be <u>assigned to County</u>
<u>Materials –Janesville, WI</u>



To Request Access to The Fabrication Library (A) STRUCT





https://wisconsindot.gov/Pages/doing-bus/eng-consultants/cnslt-rsrces/strct/fab-sharepoint.aspx



Summary of the Changes- Beginning with December 2018 Let Projects



- ✓ Shop Drawings and Contractor Certificate of Shop Drawing QC forms need to be submitted to the Department a minimum of 14 days prior to fabrication.
 - ✓ You will want to keep this in mind when scheduling future work.
- ✓ For each resubmittal of shop drawings with the Contractor Certificate requirement, an updated Contractor Certificate will be required.
- ✓ Fabrication Status Reports will need to be filled out by the fabricator on a weekly basis.
- ✓ Two new Approved Fabricator Lists for Steel Bridge Primary Members and Sign Bridges and OSS
- ✓ Four lists for Fabricated Bridge Components replaced the prior Bridge Metal Secondary Fabrication Items
- ✓ The required mechanism for submittal of fabrication documents will be the Fabrication Library beginning with December 2018 Let projects.



Other Changes Over This Past Year



- ✓ A reduction in the percentage of shop drawings we review.
- ✓ The optional use of the Fabrication Library for previously Let projects to submit fabrication documents.
- ✓ You may request access to the Library now for key staff to gain familiarity and ensure a smoother transition for when the Library use is no longer optional.



Questions and Feedback



Questions? Feedback?



Field Welding Update

11/29/18





Contractor's Field Welding Plan – DT2337

New Form



- This form clarifies the process for Department review of the following:
 - ✓ WPSs and PQRs
 - ✓ Welder qualification records, continuity records, and certifications
 - ✓ Contractor Inspector qualifications
- This form will be submitted on a yearly basis to WisDOT to perform field welding, and is valid from February 1st
 January 31st
- At any time, should a Contractor need to add a welder or contractor inspector due to staffing changes, we will work with the Contractor to facilitate this addition.
- This form is required for the 2018 construction season.
- Construction field staff can access these Contractor Field Welding Plans to ensure that the welds, welders, and contractor inspectors are currently approved for their particular field welding situation.

Contractor's Fiel Wisconsin Depa DT2337 mm/yyy	rtment of Tra		
		by the Contractor. This form and all its attachments must be submitted yearly to the Engineer for revieg may not be performed by the contractor without a current, accepted DT2337 on record.	w
Date			_
Contractor Rep	resentative		_
Contractor Con	npany		_
		ification (WPS) numbers to be used for field welding operations within the next year. Attach all WPSs li- ocedure Qualification Records (PQR).	ite
ist all cortified w	ualdars who i	will perform field welding operations. Attach all welder qualification records, continuity records and	
	velders who v	will perform field welding operations. Attach all welder qualification records, continuity records and	
List all certified w certifications.	velders who v	will perform field welding operations. Attach all welder qualification records, continuity records and	
	velders who v	will perform field welding operations. Attach all welder qualification records, continuity records and	
	velders who v	will perform field welding operations. Attach all welder qualification records, continuity records and	
	velders who v	will perform field welding operations. Attach all welder qualification records, continuity records and	
	velders who v	will perform field welding operations. Attach all welder qualification records, continuity records and	
pertifications.			_
pertifications.		will perform field welding operations. Attach all welder qualification records, continuity records and	_
certifications.	g codes for w		
Select all welding	g codes for w STRUCTUI STRUCTUI	which contractor welders/operators are qualified: RAL WELDING CODE – STEEL (Sign Structures / Steel Pile Splices / High Mast Light Poles / Railing) RAL WELDING CODE – ALUMINUM	
Select all welding AWS D1.1 AWS D1.2 AWS D1.4	g codes for w STRUCTUI STRUCTUI STRUCTUI	which contractor welders/operators are qualified: RAL WELDING CODE – STEEL (Sign Structures / Steel Pile Splices / High Mast Light Poles / Railing) RAL WELDING CODE – ALUMINUM RAL WELDING CODE – REINFORCING STEEL	
Select all welding AWS D1.1 AWS D1.2 AWS D1.4 AWS D1.5	g codes for w STRUCTUI STRUCTUI STRUCTUI BRIDGE W	rhich contractor welders/operators are qualified: RAL WELDING CODE – STEEL (Sign Structures / Steel Pile Splices / High Mast Light Poles / Railing) RAL WELDING CODE – ALUMINUM RAL WELDING CODE – REINFORCING STEEL IELDING CODE (Highway Bridge Main Members / Attachments to Highway Bridge tension zones / Rail	ing
Select all welding AWS D1.1 AWS D1.2 AWS D1.4 AWS D1.5 AWS D1.6	g codes for w STRUCTUI STRUCTUI STRUCTUI BRIDGE W STRUCTUI	which contractor welders/operators are qualified: RAL WELDING CODE – STEEL (Sign Structures / Steel Pile Splices / High Mast Light Poles / Railing) RAL WELDING CODE – ALUMINUM RAL WELDING CODE – REINFORCING STEEL ELDING CODE (Highway Bridge Main Members / Attachments to Highway Bridge tension zones / Rail RAL WELDING CODE – STAINLESS STEEL	
Select all welding AWS D1.1 AWS D1.2 AWS D1.4 AWS D1.5 AWS D1.6 AWS D1.6 Ust all individual qualification can welding continuit	g codes for w STRUCTUI STRUCTUI STRUCTUI BRIDGE W STRUCTUI s qualified to be one of the y record/logs	which contractor welders/operators are qualified: RAL WELDING CODE – STEEL (Sign Structures / Steel Pile Splices / High Mast Light Poles / Railing) RAL WELDING CODE – ALUMINUM RAL WELDING CODE – REINFORCING STEEL ELDING CODE (Highway Bridge Main Members / Attachments to Highway Bridge tension zones / Rail RAL WELDING CODE – STAINLESS STEEL perform field welding Quality Control (QC) inspections. Attach proof of inspector qualification. Proof of a following: (1) (Certified Welding Inspector) CWI Certification (2) Welding Qualification test results and	
Select all welding AWS D1.1 AWS D1.2 AWS D1.4 AWS D1.5 AWS D1.6 AWS D1.6 Just all individual qualification can	g codes for w STRUCTUI STRUCTUI STRUCTUI BRIDGE W STRUCTUI s qualified to be one of the y record/logs	which contractor welders/operators are qualified: RAL WELDING CODE – STEEL (Sign Structures / Steel Pile Splices / High Mast Light Poles / Railing) RAL WELDING CODE – ALUMINUM RAL WELDING CODE – REINFORCING STEEL ELDING CODE (Highway Bridge Main Members / Attachments to Highway Bridge tension zones / Rail RAL WELDING CODE – STAINLESS STEEL perform field welding Quality Control (QC) inspections. Attach proof of inspector qualification. Proof of a following: (1) (Certified Welding Inspector) CWI Certification (2) Welding Qualification test results and	
Select all welding AWS D1.1 AWS D1.2 AWS D1.4 AWS D1.5 AWS D1.6 AWS D1.6 Ust all individual qualification can welding continuit	g codes for w STRUCTUI STRUCTUI STRUCTUI BRIDGE W STRUCTUI s qualified to be one of the y record/logs	which contractor welders/operators are qualified: RAL WELDING CODE – STEEL (Sign Structures / Steel Pile Splices / High Mast Light Poles / Railing) RAL WELDING CODE – ALUMINUM RAL WELDING CODE – REINFORCING STEEL ELDING CODE (Highway Bridge Main Members / Attachments to Highway Bridge tension zones / Rail RAL WELDING CODE – STAINLESS STEEL perform field welding Quality Control (QC) inspections. Attach proof of inspector qualification. Proof of a following: (1) (Certified Welding Inspector) CWI Certification (2) Welding Qualification test results and	
Select all welding AWS D1.1 AWS D1.2 AWS D1.4 AWS D1.5 AWS D1.6 List all individual qualification can	g codes for w STRUCTUI STRUCTUI STRUCTUI BRIDGE W STRUCTUI s qualified to be one of the y record/logs	which contractor welders/operators are qualified: RAL WELDING CODE – STEEL (Sign Structures / Steel Pile Splices / High Mast Light Poles / Railing) RAL WELDING CODE – ALUMINUM RAL WELDING CODE – REINFORCING STEEL ELDING CODE (Highway Bridge Main Members / Attachments to Highway Bridge tension zones / Rail RAL WELDING CODE – STAINLESS STEEL perform field welding Quality Control (QC) inspections. Attach proof of inspector qualification. Proof of a following: (1) (Certified Welding Inspector) CWI Certification (2) Welding Qualification test results and	
Select all welding AWS D1.1 AWS D1.2 AWS D1.4 AWS D1.5 AWS D1.6 AWS D1.6 Ust all individual qualification can welding continuit	g codes for w STRUCTUI STRUCTUI STRUCTUI BRIDGE W STRUCTUI s qualified to be one of the y record/logs	which contractor welders/operators are qualified: RAL WELDING CODE – STEEL (Sign Structures / Steel Pile Splices / High Mast Light Poles / Railing) RAL WELDING CODE – ALUMINUM RAL WELDING CODE – REINFORCING STEEL ELDING CODE (Highway Bridge Main Members / Attachments to Highway Bridge tension zones / Rail RAL WELDING CODE – STAINLESS STEEL perform field welding Quality Control (QC) inspections. Attach proof of inspector qualification. Proof of a following: (1) (Certified Welding Inspector) CWI Certification (2) Welding Qualification test results and	

Welding shall not begin without review of all attachments and acceptance of form DT2337 by the Department



WisDOT Field Welding Forms - DT2320

Updated Form



- The DT2320 form has been updated, and is to be used during the 2018 construction season
- The intent of this update is to clarify areas of confusion with the previous version of the form, and remove outdated contact information
- For each day of field welding work, this form shall be completed by the Contactor Inspector, and signed by the Construction Project Manager and Contractor Inspector, indicating the inspection occurred as documented.
- The forms will be submitted to the Field Welding Library by the project engineer

Structure ID:	Project/Construction ID):	Welded Ele	ements:			
X-XX-XX	0000		XXX-XXX-XXX	(steel pile	, sign st	ructure, r	ailing.
INSPECTION CHECKLIST						YES	NO
Have the inspector's qualifications	s been submitted to the Bureau	u of Stri	ictures for accentance?			ILS	NO
Welder name?	, book submitted to the bureau		interes for acceptance.				
Is the welder in possession of the	required WPS?						
WPS Number(s)?							
Has the WPS been accepted by the	he Bureau of Structures?						
Electrodes are stored in a hermet	ically sealed source, dry and ir	n good o	condition? (SMAW Only)				
Rod ovens (@250°F) are used to	store opened electrode contai	iners aft	er no more than 4hrs of exposur	re (SMAW Only)?			
Are environmental conditions acc	eptable for welding? (No weldi	ing in wa	ater, rain or snow, high winds, or	r under 0F without she	lter)		
Temperature at time of welding?	°F Date? /	1					
All metal surfaces were clean and	l clear of galvanizing, paint, wa	ater, rus	t, oil or grease, before each wel	d pass?			
Preheat(s) used meet the applical	ble code requirements and acc	cepted \	VPS?*				
What instrument was used to che	ck the preheat temperature?						
If using a calibrated temperature i	ndicator crayon to measure pr	eheat te	mperature, note the temperatur	e tolerance:			
Can the voltage and amperage be	read by the welder and inspe	ctor? **	(Calibrated gauges or calibrate	d clamp meter are use	ed)		
Is the equipment calibrated?							
* Preheating temperatures		** W	elding Parameters				
WELD NUMBER/LOCATION	TEMPERATURE (F)		VELD NUMBER/LOCATION	VOLTAGE (V)	CUF	RENT (A	(MPS)
	<u> </u>			1			
Visual Inspection				1			
WELD NUMBER/LOCATION	OBSERVATIONS OF WEI	D OUA	LITY/CORRECTIVE ACTIONS				
THE HOMBERE CONTION	ODOLKVATIONS OF WEE	-D Q07	EN NOORRECTIVE ACTIONS				
	-						
	+						
Inspector Signature			Construction Project Engineer Signature				

Contractor Inspector, NOT WisDOT Inspector-



WisDOT Field Welding Areas of Improvement



- Improved field welding documentation
- Consistent requirements between all contractors and projects statewide
- Yearly review by BOS of all weld procedures, welder qualifications, and contractor inspector qualifications each contractor will use
- Shift back to WisDOT intended roles for field welding


Contractor ➤ Quality Control (inspection of 100% of welds)
WisDOT ➤ Quality Assurance




WisDOT Field Welding Library



- Project Managers with access to the Fabrication Library will automatically have permission to view files and contribute to the Field Welding Library
- Contractor's Field Welding Plans may be sent to the following email address: <u>DOTDLStructuresFabrication@dot.wi.gov</u>







WisDOT Field Welding Primary Members



- Notification must be given to the SFU in advance of any field welding on primary members. Any welding to primary load carrying members must be approved by BOS.
- A Certified welding inspector (CWI) is required to inspect field welding to primary members. If the contractor or its sub-contractor does not have a CWI on staff, it is the responsibility of the contractor to enlist a qualified CWI.



WisDOT Field Welding Contractor Subs



• Prior to any subcontractor performing field welding on your project, they will need to have an accepted DT2337 on file with Bureau of Structures in the Field Welding Library that covers the intended work.





Questions? Concerns?